CHAPTER 15

WOOD AND CLAD ULTIMATE ARCH TOP FRENCH DOOR

Table of Contents

	PAGE
History	15.2
Part Identification – Wood Ultimate Inswing Arch Top French Door	15.3
Part Identification – Wood Ultimate Outswing Arch Top French Door	15.4
Part Identification – Clad Ultimate Inswing Arch Top French Door	15.5
Part Identification – Clad Ultimate Outswing Arch Top French Door	15.6
Parts – Ultimate Arch Top French Doors	15.8
Replacement Wood Parts	15.17
Replacement Vinyl, Aluminum and Fiberglass Parts	15.18
Weather Strip	15.19
Panel Replacement	15.21
Hinged Screens and Screen Parts	15.22
Combination Door Vinyl and Wood Replacement Parts	15.28
Obsolete Parts	15.29
Obsolete Wood Parts	15.30
Obsolete Vinyl, Aluminum and Fiberglass Parts	15.37
Obsolete Weather Strip	15.38
Obsolete Inswing Combination Door Parts	15.39

ATTENTION:

- Specification and technical data are subject to change without notice.
- Numbers listed in parentheses ( ) are metric equivalents in millimeters rounded to the nearest whole number.

HISTORY

PRODUCED	UNIT TYPE	FEATURES OR CHANGES	STATUS
1991	Wood Inswing / Outswing Arch Top French Door	Unit features 3/4″ interior glazed insulating glass, 4 9/16″ jambs, multi-point hardware with solid brass handles and hinges, beige Lexan sill and beige external component parts. One panel doors feature 32 3/32″ frame radius, two panel doors feature 63 5/8″ frame radius. Units available in CN 6-8, CN 7-0 and CN 8-0 heights. All bottom rails 8 1/8″. Pine interior trim and plinth blocks standard. Inswing unit features 4 9/16″ or 6 9/16″ one piece frame (extended to the exterior).	Present
Late 1991		Exterior factory finish available.	1996
1991	Wood Inswing Arch Top French Door	Combination introduced featuring interchangeable screen and storm inserts and complete brass hardware.	2000
1992	Wood Inswing / Outswing Arch Top French Door	Simulated divided lite option introduced.	Present
1993	Wood Arch Top French Door	Optional oak interior trim and plinth blocks introduced.	Present
1994	Arch Top French Door	Beige Lexan sill changed to beige composite sill.	2000
2000	Arch Top French Door	9–25–00 Redesign to match current rectangle Inswing and Outswing door designs.	Present
2000	Wood Inswing Arch Top French Door	Combination redesign.	2004
2002	Wood Inswing Arch Top French Door	8/0 height decreases by 2 1/2 inches.	Present
2003	Wood Inswing / Outswing Arch Top French Door	3/31/03 Satin Taupe (TP) hardware replaces Brass as standard hardware. Standard door now includes hardware (no lock, no bore now an option)	Present
2003	Wood Inswing / Outswing Arch Top French Door	3/31/03 Strikes for Satin Taupe, Brushed Chrome, Polished Chrome and White are Stainless Steel.	Present
2003	Clad Arch Top	7/03 Clad Arch Top introduced. Change in Rough Opening radius for one panel doors to 40 1/2″ and for two panel doors to 72 1/2″.	Present
2003	Clad Arch Top	Added radius SDL.	Present
2004	Wood/ Clad Arch Top French Door	1/04 Added Oiled Rubbed Bronze and Satin Chrome to available hardware finishes.	Present
2004	Wood / Clad Arch Top French Door	4/12/04 Satin Nickel hardware finish introduced.	Present
2004	Wood / Clad Arch Top French Door	Polished chrome finish hardware is retired.	Present
2005	Wood / Clad Arch Top French Door	Arch Top Doors become Ultimate Arch Top Doors. Inswing sills upgraded for water infiltration introduced optional bronze ultrex sill with black weatherstrip.	Present
2005	Wood / Clad Arch Top French Door	6/15/05 Changed jamb leaf on adjustable hinge to closed knuckle design.	Present
2005	Wood / Clad Arch Top French Door	6/27/05 Introduced Brass PVD and Satin Nickel PVD finishes to French door handles, adjustable hinges, and other miscellaneous parts.	Present
2007	Wood / Clad Arch Top French Door	2/20/07 Introduced raised and flat panels as a standard option for Marvin French Doors and Commercial Doors. Introduced new Ultimate Swinging Screen along with an optional Storm Plus Insert.	Present
2009	All	3/23/2009 Added LoĒ^3-366™ as a standard option for all products. Added Cedro Macho as a standard option for all clad products.	Present
2011	Clad Arch Top	04/25/2011 Added LoĒ-180™ as a standard option for all products. White painted interior finish option introduced for all products.	Present

HISTORY

PRODUCED	UNIT TYPE	FEATURES OR CHANGES	STATUS
2012	Wood/Clad Inswing/Outswing Arch Top French Door	7/30/2012 Stave Core added to our description for current finger joint/edge glue construction of door panels. Updated adjustable hinge. 10/29/2012 Interior Square Sticking/Glazing Bead option introduced. 12/17/2012 Introduced Clear Interior Finish option on all products.	Present

WOOD ULTIMATE INSWING ARCH TOP FRENCH DOOR
XX L or R



Head Jamb and Sill

1. Head Jamb Brick Mould Casing
2. Head Jamb Parting Stop
3. Head Jamb
4. Head Jamb Weather Strip
5. Head Jamb Parting Stop Weather Strip
6. Top Rail
7. Insulated Glass
8. Top Rail Glazing Bead
9. Glazing Bead Cap
10. Vinyl Glazing Bead
11. Bottom Rail
12. Panel Drip
13. Hydro Optimizer
14. Sill
15. Sill Weather strip
16. Sill Liner
17. Side Jamb Brick Mould Casing
18. Side Jamb
19. Adjustable Hinge
20. Stile
21. Interior Handle Assembly
22. Exterior Handle Assembly
23. Active Panel Locking Stile
24. Inactive Panel Locking Stile
25. Astragal Weather Strip
26. Stile Weather Strip
27. Astragal
28. Astragal Cover
29. Side Jamb Weather Strip
30. Side Jamb Parting Stop Weather Strip
31. Side Jamb Parting Stop



Jamb – XX L

NOTE: Not to scale; specifications subject to change without notice.

WOOD ULTIMATE OUTSWING ARCH TOP FRENCH DOOR
XX L or R



Head Jamb and Sill

1. Head Jamb Brick Mould Casing
2. Frame Weather Strip
3. Head Jamb Stop Weather Strip
4. Head Jamb
5. Head Jamb Stop
6. Top Rail
7. Top Rail Glazing Bead
8. Vinyl Glazing Bead
9. Glazing Bead Cap
10. Bottom Rail
11. Sill Weather Strip
12. Sill Liner
13. Sill
14. Sweep
15. Insulating Glass
16. Top Rail
17. Panel Cover Weather Strip
18. Side Jamb Brick Mould Casing
19. Side Jamb
20. Connecting Barb
21. Side Jamb Parting Stop
22. Inactive Panel Locking Stile
23. Interior Handle Assembly
24. Astragal Base
25. Astragal Cove
26. Astragal Weather Strip
27. Side Jamb parting Stop Weather Strip
28. Adjustable Hinge
29. Exterior Handle Assembly



Jamb – XX L

NOTE: Not to scale; specifications subject to change without notice.

CLAD ULTIMATE INSWING ARCH TOP FRENCH DOOR
XX L or R



1. Head Jamb Cladding
2. Head Jamb Nailing Fin/Drip Cap
3. Head Jamb
4. Head Jamb Weather Strip
5. Head Jamb Stop
6. Head Jamb Stop Weather Strip
7. Top Rail Cladding
8. Insulated Glass
9. Top Rail
10. Top Rail Glazing Bead
11. Glazing Bead Cap
12. Vinyl Glazing Bead
13. Bottom Rail Cladding
14. Bottom Rail
15. Panel Drip
16. Hydro Optimizer
17. Sill
18. Sill Weather Strip
19. Sill Liner
20. Side Jamb Cladding
21. Side Jamb Nailing Fin
22. Side Jamb
23. Adjustable Hinge
24. Stile
25. Stile Cladding
26. Interior Handle Assembly
27. Exterior Handle Assembly
28. Active Panel Locking Stile
29. In–active Panel Locking Stile
30. Astragal Weather Strip
31. Stile Weather Strip
32. Astragal Base
33. Astragal
34. Side Jamb Parting Stop Weather Strip
35. Side Jamb Parting Stop
36. Side Jamb Weather Strip

Head Jamb and Sill



Jamb – XX L

NOTE: Not to scale; specifications subject to change without notice.

CLAD ULTIMATE OUTSWING ARCH TOP FRENCH DOOR
XX L or R



Head Jamb and Sill

1. Head Jamb Nailing Fin/Drip Cap
2. Frame Weather Strip
3. Head Jamb Weather Strip
4. Jamb
5. Head Jamb Parting Stop
6. Top Rail
7. Top Rail Glazing Bead
8. Vinyl Glazing Bead
9. Glazing Bead Cap
10. Bottom Rail
11. Sill Weather Strip
12. Sill Liner
13. Sill
14. Sweep
15. Bottom Rail Cladding
16. Insulating Glass
17. Top Rail Cladding
18. Panel Cover Weather Strip
19. Head Jamb Cladding
20. Side Jamb Cladding
21. Side Jamb Nailing Fin
22. Frame Weather Strip
23. Jamb
24. Connecting Barb
25. Side Jamb Parting Stop
26. Stile
27. Interior Handle Assembly
28. Astragal Base
29. Astragal Cover
30. Astragal Weather Strip
31. Active Panel Locking Stile
32. Jamb Stop Weather Strip
33. Adjustable Hinge
34. Stile Cladding
35. Exterior Handle Assembly



Jamb – XX L

NOTE: Not to scale; specifications subject to change without notice.

When ordering replacement Ultimate Arch Top French Door parts specify:

1. type of unit; part number; description

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Handle Assembly, Active Panel** ***Mortise lock and Multi–point lock systems – 9/25/00 – Present*** *(Schlage "C" keyway)* *Includes:* *1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware* *1 – Exterior lever (B) with escutcheon plate and hardware* *1 – Thumb turn (C) with hardware* *1 – Keyed cylinder (D) with housing and hardware* *1 – Exterior escutcheon plate gasket (E)* *1 – Exterior escutcheon plate (F)* *1 – Two piece spindle (G)* *2 – #10–32 x 2 1/8″ Phillips ovalhead machine screws (H)* *1 – Interior escutcheon plate (I)* *2 – Keys*	Satin Taupe Antique Brass White Satin Chrome Oil Rubbed Bronze ORBZ PVD Brass PVD Satin Nickel PVD Dark Bronze Polished Chrome	10148114 10148116 10148119 10148112 10148111 10148109 10148160 10148110 10148169 10148117
	**Handle Assembly, Inactive/Dummy** ***9/25/00 – Present*** *Includes:* *1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware* *1 – Exterior lever (B) with escutcheon plate and hardware* *1 – Exterior escutcheon plate gasket (C)* *1 – Exterior escutcheon plate (D)* *1 – Two piece spindle (E)* *2 – #10–32 x 2 1/8″ Phillips ovalhead machine screws (F)* *1 – Interior escutcheon plate (G)*	Satin Taupe Antique Brass White Satin Chrome Oil Rubbed Bronze ORBZ PVD Brass PVD Satin Nickel PVD Dark Bronze Polished Chrome	10148151 10148147 10148150 10148153 10148154 10148156 10148161 10148133 10148164 10148148
	**Key Cylinder, Lock** ***9/25/00 – Present*** (Schlage "C" keyway) For service replacement only.	Brass Face Chrome Face	00142000 00142001
	Lug seals ***9/25/00 – Present***		00142046

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	LENGTH/COLOR	PART NO.
	**Actuator with Rol–Pin** ***9/25/00 – Present***		05570548
	#10–32 x 2 1/8″ *Phillips ovalhead machine screw* ***9/25/00 – Present***	Satin Taupe Antique Brass White Satin Chrome Oil Rubbed Bronze ORBZ PVD Brass PVD Satin Nickel PVD DKBZ	11800616 00143038 00143036 10840031 10840032 11800160 11800615 11801020 11800654
	**Spindle Kit (Ashland)** *Includes:* *1 – 2 piece spindle, 4 3/8″* *2 – Set screws*		18900392
	**Spindle Kit (Truth)** *For ORBZ handle sets produced after March 2009.* *Includes:* *1 – 2 pc. spindle, 4 3/8″* *2 – Set screws*	ORBZ	02100942
	**3/4″ Handle Extension** NOTE: Requires 3/4″ spindle extension.	TP WH BS AB ORBZ ORBZ PVD SC SN PC DKBZ	10830048 10830054 10830050 10830052 10833038 10830012 10830036 10833037 10830056 10833039
	3/8″ Handle Extension NOTE: Requires 3/8″ spindle extension.	TP WH BS AB ORBZ ORBZ PVD SC SN PC DKBZ	10830049 N/A N/A N/A 10830039 10830011 N/A N/A N/A 10833040
	3/4″ Spindle Extension **3/8″ Spindle Extension**	5 13/16″ 5 1/16″	00142051 18900393

* Stainless Steel – 11800645, Dark Bronze – 11800652, PVD Brass – 11800536

NOTE: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD

PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	Construction Handle		05700133
	Set Screw for Handle Assembly No longer available – See spindle kit		
	**Mortise Lock, Active Single Point** (latch and dead bolt only) ***9/25/00 – Present (Amerock)***		05700129
	**Mortise Lock, Active Multi–Point Lock** (latch, dead bolt and head/foot shoot bolts) ***9/25/00 – Present (Amerock)***		05700130
	**Mortise Lock, Inactive Panel Multi–Point Lock** (head/foot shoot bolts) ***9/25/00 – Present (Amerock)***		05700131
	**Cover Plate, Active Mortise Lock or Multi–Point Lock** ***9/25/00– Present (Amerock)*** *Includes:* *1 – Cover plate* *2 – #8x1" Phillips flathead wood screws*	Stainless Steel Antique Brass ORBZ PVD Brass PVD	05700306 05700307 05700308 10148179
	**Strike Plate, Panel – Mortise Lock or Multi–Point Lock** ***UOAF – std. on 2–panel operator*** ***1/17/00 – Present (Amerock)*** Includes: *1 – Jamb strike plate* *2 – #8x1" Phillips flathead wood screws*	Stainless Steel Antique Brass ORBZ PVD Brass PVD	05700312 05700313 05700314 10148183

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Strike Plate, Jamb–Mortise Lock or Multi–Point Lock** ***UIAF – std. on 1 panel operator*** ***9/25/00 – Present (Amerock)*** *Includes:* *1 – Jamb strike plate* *2 – #8x1″ Phillips flathead wood screws**	Stainless Steel Antique Brass ORBZ PVD Brass PVD	05700300 05700301 05700302 10148177
	Strike Plate, Inactive Panel–Mortise Lock or Multi–Point Lock ***UIAF – std. on 2 panel operator*** ***9/25/00 – Present (Amerock)*** *Includes:* *1 – Jamb strike plate* *2 – #8x1″ Phillips flathead wood screws**	Stainless Steel Antique Brass ORBZ PVD Brass PVD	05700303 05700304 05700305 05700115
	**Strike Plate, Jamb – Mortise Lock or Multi–Point Lock** ***UOAF – std. on 1 panel operator*** ***1/17/00 – Present (Amerock)*** Includes: *1 – Jamb strike plate* *2 – #8x1″ Phillips flathead wood screws**	Stainless Steel Antique Brass ORBZ PVD Brass PVD	05700309 05700310 05700311 10148182
	**4″ Butt Hinge** ***NRP = Non Removable Pin*** Includes: *1 – 4″ hinge* *7 – #9 x 1″ Phillips flathead wood screws (11213824)* *1 – #10 x 2 1/2″ Phillips flathead wood screws (frame) (11800679)*	NRP Solid Brass	02101140
	**4″ Butt Hinge Shim**		10500222
	**Long Hinge Screw Package** ***9/25/00 – Present*** *Includes:* *4 –#10 X 2 1/2″ Screws** *1 – 5/32″ Allen wrench* Note: Order Dark Bronze screw package for Dark Bronze,Antique Brass and Oil Rubbed Bronze Hinges. Order Stainless Steel screw package for Silver Frost, Satin Chrome and Satin Nickel PVD Hinges .	Satin Taupe Gold Tone Dark Bronze White Stainless Steel Brass PVD	11800653 11800632 11800644 11800637 11800639 10148185

* Stainless Steel – 11800645, Dark Bronze – 11800652, PVD Brass – 11800536

NOTE: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	HINGE COLOR	LEFT PART NO.	RIGHT PART NO.
	**Hinge Kit, Adjustable** *Includes:* *1 – Adjustable hinge* *1 – #10x2 1/2"Phillips flathead wood screws (jamb)* *5 – #10x3/4"Phillips flathead wood screws (jamb, stationary stile)* *4 – #8x1 1/2"Phillips flathead wood screws (panel)* NOTE: Hinge part number includes the color matched screws. If you need to order the screws separately, they are listed below.	TP GT SF DKBZ AB WH SC ORBZ ORBZ PVD BS PVD SN PVD	02101216 02101213 02101218 02101217 02101210 02101214 02101212 02101219 02101211 02101215 02101220	02101227 02101224 02101229 02101228 02101221 02101225 02101223 02101230 02101222 02101226 02101231

SCREW DESCRIPTION	SCREW COLOR/PART NO.		MATCHING HINGE COLOR
4 – #8x1 1/2"Phillips flathead wood screws (panel)	TP	11865177	TP
	GT	11865172	GT
	WH	11865173	WH
	DKBZ	02058013	AB, ORBZ PVD, DKBZ, ORBZ
	BS PVD	11865176	BS PVD
	SS	11865175	SC, SF, SN PVD
5 – #10x 3/4"Phillips flathead wood screws (jamb) (stationary stile)	TP	11800674	TP
	GT	11800670	GT
	WH	11800671	WH
	DKBZ	11800669	AB, ORBZ PVD, DKBZ, ORBZ
	BS PVD	11800673	BS PVD
	CHROME	11800672	SC, SF, SN PVD
1 – #10x2 1/2"Phillips flathead wood screws (jamb)	TP	11800683	TP
	GT	11800681	GT
	WH	11800682	WH
	DKBZ	11800680	AB, ORBZ PVD, DKBZ, ORBZ
	BS PVD	11800679	BS PVD
	SS	11800684	SC, SF, SN PVD

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Head or Foot Flush Bolt – Inactive Panel**	Black	11101780
	**Cover Plate for Flush Bolt** *Includes:* *1 – Cover plate* *2 – #8x1″* SS screw (11800645)	Aluminum	11860402
	**Inactive Panel Locking Rod Assembly, Top or Bottom Flush Bolt** ***9/25/00 – Present*** *Includes:* *1 – Locking rod with end bolt* NOTE: For 8-0 ht order top locking rod 05700185. **Height** / **Top Locking Rod Length** CN 6–8 ht 11″ CN 7–0 ht 11″ CN 8–0 ht 27″ **Height** / **Bottom Locking Rod Length** All heights 11 1/2″	Stainless Steel Outswing Only	05700180 05700180 05700185 10815178
	**Locking Rod Assembly, Top for Multi–Point** ***Active Panels – w/multi–point*** ***3/02 – Present (Amerock) 8–0 Height see History*** ***5/10/90 – Present (Amerock) 6–8 & 7–0 Height*** Solid stainless steel rod with 1/4″ – 20 threads NOTE: For special heights give dimension A. **Height** / **Top Locking Rod Length** CN 6–8 ht 37 15/16″ CN 7–0 ht 41 15/16″ CN 8–0 ht 51 7/16″	Stainless Steel	05700176 05700177 05700179

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Locking Rod Assembly, Bottom for Multi–Point Lock** ***UIAF*** ***Active Panels – w/multi–point*** ***9/25/00 – Present (Amerock)*** Solid stainless steel rod with 1/4″ – 20 threads **Height** **Bottom Locking Rod Length** CN 6–8 ht 34 9/32″ CN 7–0 ht CN 8–0 ht	Stainless Steel	05700170
	**Locking Rod Assembly, Bottom for Multi–Point Lock** ***UOAF*** ***Active Panels – w/multi–point*** ***9/25/00– Present*** Solid stainless steel rod with 1/4″ – 20 threads **Height** **Bottom Locking Rod Length** CN 6–8 ht 34 3/4″ CN 7–0 ht CN 8–0 ht	Stainless Steel	10815179
	**End Bolt Guide** ***9/25/00 – Present*** ***Active Panels – w/Multi–Point*** ***Inactive Panels – All*** *Includes:* *1 – End Bolt guide* *1 – #8x1 1/2″ Phillips panhead wood screw (11865159)*		10815199)

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Strike Plate, Head Jamb** ***UIAF*** ***9/25/00 – Present*** *Includes:* *1 – Strike plate* *2 – #8x1″ Phillips flathead wood screws (head jamb)(11800645)*	Stainless Steel	05700320
	**Strike Plate, Sill** ***UIAF*** ***9/25/00 – Present*** *Includes:* *1 – Strike plate* *2 – #8x 1/2″ Phillips flathead machine screws (sill) (11800847)* *2 – Well–nut threaded insert (10830008)*	Stainless Steel	11860401
	**Strike Plate, Head Jamb** ***UOAF*** ***9/25/00 – Present*** *Includes:* *1 – Strike plate* *2 – #8 x 1″ Phillips trusshead screws (head jamb)* *2– #8 x 3″ trusshead stainless screws (head jamb) (11800832))*	BG BZ	05700315 05700316
	**Strike, Sill** ***UOAF*** ***9/25/00 – Present*** *Includes:* *1 – Strike plate* *2 – #8 x 5/8″ Phillips panhead stainless steel machine screws (sill) (11800726)* *2 – Well–nut threaded insert (sill) 10830008*	BG BZ	18900365 18900368
	**Well–Nut Sill Strike** ***9/25/00 – Present***	Black	10830008

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Installation Screw Package; Strike Plate(s) at head jamb, sill, or locking jamb** ***9/25/00 – Present*** #8 x 2 1/2″ Flathead wood screw Package of 2 Package of 2 Package of 2	 Stainless Steel Solid Brass Antique Brass	 11882349 11882343 11882347
	**Sill Bolt, Stationary Panel** ***9/25/00 – Present*** *Includes:* *2 – #8 x 3″ Phillips flathead wood screws (11800830)*	Zinc Die Cast	11101856
	Drain Plug, Sill ***UIAF*** ***9/25/00 – Present***	BG BZ	10500253 10500249
	**Head Jamb Spacer Tack; Stationary Panel** ***9/25/00 – Present***		11860424
	Jamb Spacer Tack; Stationary Panel ***9/25/00 – Present*** 3/4″ Diameter Head		11860423

REPLACEMENT WOOD PARTS

CURRENT REPLACEMENT WOOD PARTS

	Wood	Clad
Jamb Stop – UOAFD	W6531	W6531
Jamb Parting Stop – WUIAFD	W6535	–
Head Jamb Parting Stop – WUIAFD	W6554	–
Head Jamb Stop – UOAFD	W8598	W8598
First Mull Casing and Astragal – WUAFD	W1455	–
Sill Liner (oak) – UAFD	W2528	W2528
Astragal Cover – WUAFD	W7554	–
Stationary Sweep Filler – WUOAFD	W3297	–



W6531 – Jamb Stop
OAFD



W6535 – Jamb
Parting Stop
WIAFD



W6554 – Head
Jamb Parting Stop
WUIAFD



W8598 – Head
Jamb Stop
UOAFD



W1455 – First Mull Casing
and Astragal
WUAFD



W2528 – Sill Liner
(oak)
UAFD



W7554 – Astragal Cover
WUAFD



W3297 – Stationary
Sweep Filler
WUOAFD

REPLACEMENT PARTS

REPLACEMENT VINYL, ALUMINUM OR FIBERGLASS PARTS

	Wood	Clad
Stationary Panel Sill Spacer – Beige or Black	V941	V941
Panel Drip – Beige or Black	V940	V940
Panel Drip (In–Sash Transom) – Beige or Black	V800	V800
Sash Retainer (Transom) – Beige or Black	V026	V026
Sill Leveling Block (Transom) – Beige or Black	V027	V027
Hydro-Optimizer – Beige or Bronze	A1251	A1251
Head Jamb, Jamb Parting Stop	– – –	A1266
Mullion Casing Base	– – –	A771
Astragal Cladding	– – –	A772
Ultrex Sill, 4 9/16″ Jambs – Beige or Bronze	F256	F256
Ultrex Sill, 6 9/16″ Jambs – Beige or Bronze	F257	F257



V941 – Stationary Panel Drip/Sill Spacer



V940 – Panel Drip

V800 – Panel Drip



V026 – Sash Retainer



V027 – Sill Leveling Block



A1251 – Hydro-Optimizer



A1266 – Head Jamb, Jamb Parting Stop

A771 – Mullion Casing Base



A772 – Astragal Cladding



F256 – Ultrex Sill,* 4 9/16″ Jambs

TO ORDER REPLACEMENT PARTS

When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish.



F257 – Ultrex Sill, 6 9/16″ Jambs*

* Must specify Inswing or Outswing.

ULTIMATE ARCH TOP FRENCH DOORS

When ordering replacement weather strip specify:

1. quantity;
2. length;
3. part number;
4. description.

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	LENGTH	OPER./COLOR	PART NUMBER
	**Weather strip, Sill** ***UOAF*** ***9/25/00 – Present*** V776	87 11/16″ 164 7/8″ 164 7/8″	BG BG BK	11197276 11197296 11197297
	Weather strip, Stile ***UOAF*** ***9/25/00 – Present*** V020	79 9/16″ 95 15/16″ 150″ 150″	BG BG BG BK	11197968 11197982 11197999 11197998
	**Weather strip, Frame** ***UOAF*** ***9/25/00 – Present*** V017	41 5/16″ 80 5/8″ 94 1/8″ 164 7/8″ 164 7/8″	BG BG BG BG BK	11197536 11198668 11198682 11197596 11197598
	Pile Weather strip, Jamb or Panel ***UOAF*** ***9/25/00 – Present*** Adhesive backed 1 3/8″ x 3/8″x 1/2″		GY	15600010
	**Sweep, Active and Inactive Panel** ***UOAF*** ***9/25/00 – Present*** V779	CN 2/6 CN 2/8 CN 3/0 CN 3/0	BG BG BG BK	11197426 11197428 11197430 11197431
	**Sweep, Stationary Panel** ***UOAF*** ***9/25/00 – Present*** V778	CN 3/0 150″ 150″	BG BG BK	11197330 11197399 11197398
	**Weather strip, Panel Cover** ***UOAF*** ***9/25/00 – Present*** V018	150″ 150″	BG BK	11197799 11197798
	**Flex-Bulb Weather strip, Sill** ***UIAF*** ***9/25/00 – Present*** V794	87 9/16″ 164 3/4″ 164 3/4″	BG BG BK	15180276 15180798 15180799
	Inactive Panel Stile Center ***UIAF*** ***9/25/00 – Present*** V780	150″ 150″	BG BK	15174099 15174098

WEATHER STRIP

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	LENGTH	OPER./COLOR	PART NUMBER
	**Offset Bulb Weather strip, Parting Stop, Frame, Mull Casing, Transom and Astragal** ***9/25/00 – Present*** V796	41 1/4″ 92 7/8″ 92 7/8″ 164 13/16″	BG BG BK BG	15171136 15170082 15170083 15172140
	Dust Block / Pile Jamb or Panel ***UIAF*** ***9/25/00 – Present*** Adhesive backed 1″ x 1/8″x 3/4″		GY	19061221
	**Connecting Barb** ***9/25/00 – Present*** V803 NOTE: Color may vary depending on current stock. Wood Door and Wood and Clad Transom only	Specify Length		15812999

ORDERING REPLACEMENT PANELS FOR THE ULTIMATE ARCH TOP FRENCH DOOR

To order replacement panels specify:

1. OM of panel;
   NOTE: OM of panel does not include astragal.
   a. template required for Ultimate Arch Top French door panel prior to 7/14/03.
2. active, inactive or stationary
   a. Active – specify no lock (no bore), bore for passage latch/dead bolt, single–point mortise lock or multi–point mortise lock.
   b. Inactive – specify head or foot bolts or multi–point mortise lock.
   c. Stationary – specify configuration and astragal or mull casing (if applicable).
3. handing;
4. glazing;
5. finish.
6. Glazing bead profile
   a. Bevel
   b. Square

Inswing/Outswing Arch Top
Active Panel
Exterior View

Active panels include: sweep and route for hinges.
Inactive panels include: sweep, route for hinges, astragal and head and foot bolts.
Stationary panels include: leveling block.

ORDERING REPLACEMENT HINGED SCREENS FOR ULTIMATE INSWING ARCH TOP FRENCH DOOR

Hinged screens are available with aluminum surround and charcoal colored fiberglass 18 x 16 screen mesh. Aluminum mesh is available as an option. Determine the outside measurement of the existing screen. Find the sizes that correspond to the width and height indicated on the following chart. Surrounds are available in bronze, white, brown, pebble gray and evergreen.

When ordering replacement screen specify:

1. size; – If there is no existing screen from which to obtain the OM of the screen, determine the size of the screen by using measurement conversion chart below. The daylight opening is the measurement of the visible glass.
2. color;
3. mesh type (if other than standard);
4. handing (active/inactive; left/right).

ULTIMATE INSWING ARCH TOP FRENCH DOOR 2003 – PRESENT

Daylight Opening to OM of Swinging Screen

Wood and Clad Standard Screen

Daylight Width + 8 23/32″ = OM Width of Screen

Daylight Height + 13 3/8″ = OM Height of Screen

Wood and Clad Ultimate Screen (Panel)

Daylight Width + 8 1/2″ = OM Width of Screen Panel

Daylight Height + 13 15/64″ = OM Height of Screen Panel

Wood and Clad Ultimate Screen (Insert)

Daylight Width + 5 5/8″ = OM Width of Screen Insert

Daylight Height + 10 21/64″ = OM Height of Screen Insert

Standard Screen Width

CN Width	OM Width
CN 2–6/5-0	28 5/16″
CN 2–8	30 5/16″
CN 3–0/6–0	34 5/16″

Standard Screen Height

CN Height	OM Height
CN 6-8	79 1/2″
CN 7–0	83 1/2″
CN 8–0	93″

Ultimate Screen Panel Width

CN Width	Panel OM Width
CN 2–6/5-0 (6-6 ht)	27 19/64″
CN 3–0/6-0/9–0(6-6 ht)	33 19/64″
CN 2–0/4-0 (6-8, 7–0, 8-0 ht)	22 7/64″
CN 2–6/5-0 (6-8, 7–0, 8-0 ht)	28 7/64″
CN 2–8/5–4 (6-8, 7–0, 8-0 ht)	30 7/64″
CN 3–0/6-0 (6-8, 7–0, 8-0 ht)	34 7/64″
CN 3–6/7-0 (6-8, 7–0, 8-0 ht)	40 7/64″

Ultimate Screen Panel Height

CN Height	Panel OM Height
CN 6-6	76 55/64″
CN 6-8	79 23/64″
CN 7–0	83 23/64″
CN 8–0	92 55/64″

Ultimate Screen Insert Width

CN Width	Insert OM Width
CN 2–6/5-0 (6-6 ht)	24 13/32″
CN 3–0/6-0/9–0(6-6 ht)	30 13/32″
CN 2–0/4-0 (6-8, 7–0, 8-0 ht)	19 7/32″
CN 2–6/5-0 (6-8, 7–0, 8-0 ht)	25 7/32″
CN 2–8/5–4 (6-8, 7–0, 8-0 ht)	27 7/32″
CN 3–0/6-0 (6-8, 7–0, 8-0 ht)	31 7/32″
CN 3–6/7-0 (6-8, 7–0, 8-0 ht)	37 7/32″

Ultimate Screen Insert Height

CN Height	Insert OM Height
CN 6-6	73 61/64″
CN 6-8	76 29/64″
CN 7–0	80 29/64″
CN 8–0	89 61/64″

Ultimate Swinging Screen
Hardware Locations



1. Hinge Z Bar
2. Head Jamb Z Bar
3. Door Bracket
4. Closer
5. Head Jamb Bracket
6. Closer Stop
7. Jamb Bracket
8. Jamb Adapter
9. Latch Jamb Z Bar
10. Astragal
11. Interior Handle
12. Exterior Handle
13. Sill Sweep
14. Strike Plate

NOTE: Not to scale; specifications subject to change without notice.

PARTS – HINGED SCREENS & SCREEN PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Closer Assembly** **Ultimate Screen/Combo** *Includes:* *1 – Closer (A)* *1 – Jamb Bracket (B)* *1 – Door Bracket (C)* *1 – Head Jamb Bracket (D)*		18900608
	**Flush Bolt** **Ultimate Screen/Combo**		18600610
	**Handle Assembly** **Ultimate Screen/Combo** *Interior and Exterior handles* * Exterior handle color. Interior handle color is always black.	TP* BS PVD* SN PVD* BZ PVD*	18900600 18900601 18900602 18900603
	**Ultimate Screen Strike Spacer** *(X operation only)*	BK	10150004

PARTS – HINGED SCREENS & SCREEN PARTS

ULTIMATE INSWING ARCH TOP FRENCH DOOR HINGED SCREEN PARTS

The following parts are used on Ultimate Inswing French Door (5/98 – present) and on Inswing French Door (5/98 – present) screens. When ordering replacement parts specify:

1. part number;
2. quantity;
3. finish.

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Sill Sweep and Cover** CN 2–6, 5–0 28 5/16″ CN 2–8 30 5/16″ CN 3–0, 6–0 34 5/16″	SW	14371583 14371584 14371585
	CN 2–6, 5–0 28 5/16″ CN 2–8 30 5/16″ CN 3–0, 6–0 34 5/16″	BZ	14371533 14371534 14371535
	CN 2–6, 5–0 28 5/16″ CN 2–8 30 5/16″ CN 3–0, 6–0 34 5/16″	PB	14371523 14371524 14371525
	CN 2–6, 5–0 28 5/16″ CN 2–8 30 5/16″ CN 3–0, 6–0 34 5/16″	BN	14371513 14371514 14371515
	CN 2–6, 5–0 28 5/16″ CN 2–8 30 5/16″ CN 3–0, 6–0 34 5/16″	EG	14371543 14371544 14371545

PARTS – HINGED SCREENS & SCREEN PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Astragal** CN 68 79 7/16″ CN 70 83 7/16″ CN 80 92 7/16″	SW	14371661 14371662 14371664
	CN 68 79 7/16″ CN 70 83 7/16″ CN 80 92 7/16″	BZ	14371636 14371637 14371639
	CN 68 79 7/16″ CN 70 83 7/16″ CN 80 92 7/16″	PB	14371631 14371632 14371634
	CN 68 79 7/16″ CN 70 83 7/16″ CN 80 92 7/16″	BN	14371626 14371627 14371629
	CN 68 79 7/16″ CN 70 83 7/16″ CN 80 92 7/16″	EG	14371641 14371642 NA
	**Hinge – Screen to Z–Bar** *Includes:* *2 – Hinges* *2 – Hinge pins* *4 – Screws*	BK	05700050
	**Head/Foot Bolt – Inactive Panel**	BK	05700051
	**Cover Plates / Strike Plate – Inactive Panel**	BK	05700052

PARTS – HINGED SCREENS & SCREEN PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Handle, Interior and Exterior – Active Panel**	BK	05700057
	**Closer Assembly – Active Panel**	BK	05700053

WOOD AND ALUMINUM PARTS – HINGED SCREEN

HINGED SCREEN Z–BAR KITS

When ordering replacement Z–Bar Kits specify:

1. rough opening;
2. finish.



	Profile Number
Mull Cap Hinged Screen	A340
Hinged Screen Mull Casing	W1075



A340 – Mull Cap Hinged Screen



W1075 – Hinged Screen Mull Casing

TO ORDER REPLACEMENT PARTS

When ordering replacement specify:

1. length;
2. finish.

ORDERING REPLACEMENT WOOD OR VINYL PARTS FOR ULTIMATE ARCH TOP FRENCH DOOR 5/98 – PRESENT

WOOD PARTS

	Profile Number
Stationary Panel Head Jamb Spacer	W6126
Astragal	W7528



W7528 – Astragal

VINYL PARTS

	Profile Number
Astragal Base/Weather strip – Beige	V822
Bottom Rail Filler	V200



W6126 – Stationary Panel Head Jamb Spacer



V200 – Bottom Rail Filler



V822 – Astragal Base/Weather strip

TO ORDER REPLACEMENT PARTS

When ordering replacement combination wood or vinyl parts specify:

1. profile number;
2. length;
3. handing;
   a. on jamb filler specify right or left jamb (viewed from exterior)
4. finish.

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION
	**Hinge, Adjustable** ***Usage Dates: _____ – July 30, 2012*** *Includes:* *1 – Adjustable hinge* *1 – #10x2 1/2"Phillips flathead wood screws (jamb)* *5 – #10x1"Phillips flathead wood screws* *4 – #8x1 1/2"Phillips flathead wood screws* *1 – 5/32"* Hex Key NOTE: Hinge part number includes the color matched screws. If you need to order the screws separately, they are listed below aligned with the corresponding hinge color.

SCREW DESCRIPTION	HINGE COLOR/PART NO.			SCREW COLOR/PART NO.	
		LH	RH		
1 – #10x2 1/2"Phillips flathead wood screws (jamb)	TP	02101141	02101152	TP	11800683
	GT	02101142	02101153	GT	11800681
	SF	02101143	02101154	SS	11800684
	DKBZ*	02101170	02101171	DKBZ	11800680
	DKBZ	02101144	02101155	DKBZ	11800680
	AB	02101145	02101156	DKBZ	11800680
	WH	02101146	02101157	WH	11800682
	SC	02101147	02101158	SS	11800684
	ORBZ	02101148	02101159	DKBZ	11800680
	ORBZ PVD	02101149	02101160	DKBZ	11800680
	BS PVD	02101150	02101129	BS PVD	11800679
	SN PVD	02101151	02101130	SS	11800684
5 – #10x1"Phillips flathead wood screws	TP	02101141	02101152	TP	05580145
	GT	02101142	02101153	GT	11800606
	SF	02101143	02101154	SS	11800605
	DKBZ	02101170	02101171	DKBZ	02050526
	DKBZ	02101144	02101155	DKBZ	02050526
	AB	02101145	02101156	DKBZ	02050526
	WH	02101146	02101157	WH	11800603
	SC	02101147	02101158	SS	11800605
	ORBZ	02101148	02101159	DKBZ	02050526
	ORBZ PVD	02101149	02101160	DKBZ	02050526
	BS PVD	02101150	02101129	BS PVD	11800600
	SN PVD	02101151	02101130	SS	11800605
4 – #8x1 1/2"Phillips flathead wood screws	TP	02101141	02101152	TP	11865177
	GT	02101142	02101153	GT	11865172
	SF	02101143	02101154	SS	11865175
	DKBZ	02101170	02101171	DKBZ	02058013
	DKBZ	02101144	02101155	DKBZ	02058013
	AB	02101145	02101156	DKBZ	02058013
	WH	02101146	02101157	WH	11865173
	SC	02101147	02101158	SS	11865175
	ORBZ	02101148	02101159	DKBZ	02058013
	ORBZ PVD	02101149	02101160	DKBZ	02058013
	BS PVD	02101150	02101129	BS PVD	11865176
	SN PVD	02101151	02101130	SS	11865175

* Used prior to April, 2010

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Butt Hinge, Inswing Doors** *Includes:* *1 – 4″ hinge* *3 – #9x1″ Phillips flathead wood screws (panel)* *2 – #9x3/4″ Phillips flathead wood screws (frame)* *1 – #10x2 1/2″ Phillips flathead wood screws (frame) Brass 11800635 (pkg. of 4) Stainless Steel 11800639 (pkg. of 4)*	Brass Plated Solid Brass SS	02100569 NA NA
 RP version shown	**Butt Hinge, Outswing Doors** *Includes:* *1 – 4″ hinge* *4 – #10x1″ Phillips flathead wood screws (panel)* *3 – #10x3/4″ Phillips flathead wood screws (frame)* *1 – #10x2 1/2″ Phillips flathead wood screws (frame)*	RP SS RP	02100581 NA
 	**Multi-Point Handle, Active, Solid Brass** ***Pre–2000 (Essve)*** (Schlage keyway) *Includes:* *1 – Interior handle (A) with escutcheon plate and thumb turn* *1 – Exterior handle (B) with escutcheon plate and keyed cylinder* *1 – Spindle (C)* *2 – Escutcheon mounting extensions (D)* *1 – Jamb strike (center) (E)* *2 – Keys* *2 – #10 – 24x1 1/2″ Phillips ovalhead machine screws* *4 – #7x5/8″ Phillips flathead wood screws (Strike)*	LH RH	NA 05659990
 	**Multi-Point Handle, Inactive, Solid Brass** ***Pre–2000 (Essve)***		NA

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Spindle Package for Multi-Point Handle** ***Pre–2000 (Essve)*** *Includes:* *1 - Spindle* *2 - Escutcheon mounting extensions*		NA
	**Active Multi–Point Hardware Assembly** ***Pre–2000 (Essve)*** *Includes:* *1 – Multi-Point hardware assembly (with mortise locks)* *9 – #6x1 1/2″ Phillips flathead wood screws*		NA
	**Inactive Multi-Point Hardware Assembly** ***Pre–2000 (Essve)*** *Includes:* *1 – Inactive multi-point hardware assembly* *9 – #6X1 1/2″ Phillips flathead wood screws* CN 6-8 and 7-0 ht. CN 8-0 ht.		NA 10146006
	**Multi-Point Top Corner Drive** ***Pre–2000 (Essve)*** For Inactive panel with multi–point *Includes:* *1 – Top corner drive* *Attached with #6x1/2″ Phillips flathead wood screws* CN 6-8 ht. 7 29/64″ (189) CN 7-0 ht. 11 15/32″ (291) CN 8-0 ht. 10 5/16″ (262) NOTE: For special heights give Dimension A.		N/A N/A 10146002
	**Multi-Point Bottom Corner Drive** ***Pre–2000 (Essve)*** For Inactive panel with multi-point		NA

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Corner Drive Filler, Multi–Point Lock** ***Pre–2000 (Essve)***		NA
	**Jamb Strike, Center, Solid Brass, Multi–Point Lock** ***Pre–2000 (Essve)*** *Includes:* *1 – Jamb strike* *4 – #7 x 5/8″ Phillips flathead wood screws*		02100977
	**Jamb Strike, Center, Extended, Solid Brass, Multi–Point Lock** ***Pre–2000 (Essve)***		NA
	**Jamb Strike, Top or Bottom, Solid Brass, Multi–Point Lock** ***Pre–2000 (Essve)*** *Includes:* *1 – Jamb strike* *4 – #7 x 5/8 Phillips flathead screws*		NA
	**Strike, Inactive Panel, Head Jamb, Multi–Point Lock** ***Pre–2000 (Essve)*** *Includes:* *1 – Strike* *4 – #7x5/8″ Phillips flathead wood screws*		NA
	**Corner Drive Sill Receptacle, Solid Brass, Multi–Point Lock** ***Pre–2000 (Essve)***		16151300
	**Sill Receptacle Gasket, Multi–Point Lock** For corner drive sill receptacle		NA

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Astragal Strike Latch, Multi–Point Lock** ***Pre–2000 (Essve)*** Inactive panel with multi-point hardware *Includes:* *1 – Latch* *2 – #7x5/8″ Phillips flathead wood screws*		10815117
	Lever Washers – Pre – 2000		00142048
	Lever Spacers – Pre – 2000		00142050
	Lever Shims – Pre – 2000		NA
	Dummy Lever Cams – Pre – 2000		00143001
	Snap Rings – Pre – 2000		00142049
	**Spindle – Pre – 2000** 4 3/16″		00142008
	Inactive Panel Flush Bolt ***9/25/00 – 3/02*** *Includes:* *1 – Flush bolt* *4 – #6 x 1 1/2″ Phillips flathead wood screws*	Solid Brass Antique Brass Polished Chrome White	N/A 11101767 11101768 N/A
	**Strike Plate, Jamb–Mortise Lock or Multi–Point Lock** ***9/25/00 – 3/31/03 (Amerock)*** *Includes:* *1 – Jamb strike plate* *2 – #8x1″ Brass Phillips flathead wood screws*	Polished Chrome Brushed Chrome White	05700123 05700121 N/A
	Stop clip with screws ***9/25/00 – Present*** NA for individual part		NA

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Strike Plate, Inactive Panel–Mortise Lock or Multi–Point Lock** ***9/25/00 – 3/31/03 (Amerock)*** *Includes:* *1 – Jamb strike plate* *2 – #8x1″ Brass Phillips flathead wood screws*	Polished Chrome Brushed Chrome White	05700113 05700111 N/A
	Cover Plate, Active Mortise Lock or Multi–Point Lock ***9/25/00– 3/31/03 (Amerock)*** *Includes:* *1 – Cover plate* *2 – #8x1″ Phillips flathead wood screws*	Polished Chrome Brushed Chrome White	N/A 05700101 N/A
	**Cover Plate for Flush Bolt**		N/A
	**Strike Plate, Head Jamb** ***WIAFD*** ***9/25/00 – 3/31/03*** *Includes:* *1 – Strike plate* *2 – #8x1″ Phillips flathead wood screws (head jamb)*	Polished Chrome Brushed Chrome White Brass Antique Brass	10148048 10148046 10148049 10148045 10148047
	Strike Plate, Sill ***WIAFD*** ***9/25/00 – 3/31/03*** *Includes:* *1 – Strike plate – 05700018* *2 – #8x 1/2″ Phillips flathead machine screws (sill)* *2 – Well–nut #8 machine screw (sill) 10830008*	Polished Chrome Brushed Chrome White Brass Antique Brass	18900362 18900364 N/A 18900360 18900363
	Strike Plate, Head Jamb & Sill ***UIAF*** *Includes:* *2 – Strike plates* *2 – #8x 1″ Phillips flathead wood screws* *2 – #8x 1 1/2″ Phillips flathead machine screws*	PVD Brass	10148173
	**Inactive Panel Backset Extension for Head or Foot Bolt** ***9/25/00 – Present*** With 1/4″ – 20 threads *Includes:* *1 – Backset extension* *1 – 1/4″ –20 x3/4″ Phillips flathead machine screw*		16152011

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Handle Assembly, Active Panel** ***Mortise lock and Multi–point lock systems*** *(Schlage "C" keyway)* *Includes:* *1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware* *1 – Exterior lever (B) with escutcheon plate and hardware* *1 – Thumb turn (C) with hardware* *1 – Keyed cylinder (D) with housing and hardware* *1 – Exterior escutcheon plate gasket (E)* *1 – Exterior escutcheon plate (F)* *1 – Two piece spindle (G)* *2 – #10–32x2″ Phillips ovalhead machine screws (H)* *1 – Interior Escutcheon plate (I)* *2 – Keys*	Polished Chrome	10148117
	**Handle Assembly, Inactive/Dummy** *Includes:* *1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware* *1 – Exterior lever (B) with escutcheon plate and hardware* *1 – Exterior escutcheon plate gasket (C)* *1 – Exterior escutcheon plate (D)* *1 – Two piece spindle (E)* *2 – #10–32x2″ Phillips ovalhead machine screws (F)* *1 – Interior Escutcheon plate (G)*	Polished Chrome	10148148
	**Installation Screw Package; Strike Plate(s) at head jamb, sill, or locking jamb** #8 x 2 1/2″ Flathead wood screw Package of 4	White	11882348

OBSOLETE – PARTS

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Hinge, Adjustable, Left Hand– Right Hand** ***2000–2005***	Polished Chrome Satin Taupe Gold Tone Silver Frost Dark Bronze White	NA Use current hinge
	**Hinge, Adjustable** *Includes:* *1 – Adjustable hinge* *1 – #10x2 1/2"Phillips flathead wood screws (jamb)* *4 – #10x1"Phillips flathead wood screws (jamb) or* *5 – #10x1"Phillips flathead wood screws (stationary stile)* *4 – #8x1 1/2"Phillips flathead wood screws (panel)* *1 – 5/32" Allen wrench (adjustment)*	PC	**Right Hand** 02101116 **Left Hand** 02101115

OBSOLETE – REPLACEMENT WOOD PARTS

CURRENT REPLACEMENT WOOD PARTS

FRENCH ARCH TOP INSWING AND OUTSWING

	Wood
Astragal	W7222
Astragal (Multi-Point)	W7219
Stationary Head Jamb, Jamb and Astragal Filler	W6040
Stationary Head Jamb and Jamb Spacer	W6220
Stationary Jamb Filler (Multi-panel)	W7235



W7222 – Astragal



W7219 – Astragal (Multi-Point)



W6040 – Stationary Head Jamb, Jamb and Astragal Filler



W6220 – Stationary Head Jamb and Jamb Spacer



W7235 – Stationary Jamb Filler (Multi-panel)

TO ORDER REPLACEMENT WOOD PARTS

When ordering replacement wood parts specify:

1. profile number;
2. call number or rough opening;
3. handing;
   a. for operator first mull casing specify right or left hand (as viewed from the exterior)
   b. for astragal specify hardware prep (if applicable)
4. length;
5. finish;
6. radius (if applicable).

OBSOLETE – REPLACEMENT PARTS

ORDERING REPLACEMENT VINYL, ALUMINUM OR FIBERGLASS PARTS FOR ARCH TOP FRENCH DOORS

FRENCH ARCH TOP INSWING

	Wood
Sweep – Beige	V302
Stationary and Sidelite Leveling Block – Beige	V199
Ultrex Sill (4 9/16″ Jambs) – Beige	F251*
Ultrex Sill (6 9/16″ Jambs) – Beige	F253

* No longer available



V302 – Sweep

FRENCH ARCH TOP OUTSWING

	Wood
Sweep – Beige	V212
Stationary and Sidelite Leveling Block – Beige	V770
Ultrex Sill – Beige	F252



V199 – Stationary and Sidelite Leveling Block



F-251 – Ultrex Sill (4 9/16″ Jamb) No longer available



F-253 – Ultrex Sill (6 9/16″ Jamb)



V212 – Sweep



V770 – Stationary and Sidelite Leveling Block



F252 – Ultrex Sill

TO ORDER REPLACEMENT PARTS

When ordering replacement parts specify:

1. profile number;
2. size (call number or rough opening);
3. length;
4. handing;
5. finish (where applicable).

OBSOLETE – WEATHER STRIP

FRENCH DOORS AND ARCH TOP FRENCH DOOR WEATHER STRIP

When ordering replacement weather strip specify:

1. quantity;
2. length;
3. part number;
4. description.

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	LENGTH	PART NUMBER
	**Foam Weather strip, Frame** V650 Color: Beige	144″	02100972
	**Sill Dust Block Assembly** Inswing doors only		NA
	**Pile Weather strip, Sill** Adhesive backed Outswing doors only Color: Beige 13/16″ x 13/32″ x 1 15/16″		15600515
	**Offset Bulb Weather strip, Parting Stop, Frame, Mull Casing, Transom and Astragal** V796 Color: Beige	95 13/16″	15171680
	**Weather strip, Stile** V020 Color: Beige	95 9/16″	11197980
	**Weather strip, Frame** V017 Color: Beige	96 5/8″	11198680

OBSOLETE COMBINATION DOOR PARTS

WOOD INSWING ARCH TOP COMBINATION DOOR PARTS

When ordering replacement combination parts specify:

1. part number;
2. quantity;
3. description.

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Surface Mount Hinge Pair, Solid Brass**		NA
	**Handle Package, Solid Brass** *Includes:* *1 – Interior handle (A) with locking rose* *1 – Exterior handle (B) with rose* *1 – Latch bolt assembly (C)* *1 – Strike (D)* *4 – #6x3/4" Phillips ovalhead wood screws (handle)* *2 – #4x3/4" Phillips ovalhead wood screws (strike)*		02550630
	**Hinge, Solid Brass** **WIAFD**		NA
	**Handle Package, Solid Brass** **WIAFD** *Includes:* *1 – Interior locking handle assembly (A) with rose* *1 – Exterior handle (B) with rose* *1 – Strike (C) 05700033* *4 – #5x5/8" Phillips ovalhead wood screws (handle)* *2 – #8x5/8" panhead wood screws (strike)*		11100301
	**Thimble** Headbolt receiver	BS	02540664

OBSOLETE COMBINATION DOOR PARTS

WOOD INSWING ARCH TOP COMBINATION DOOR PARTS

When ordering replacement combination parts specify:

1. part number;
2. quantity;
3. description.

ILLUSTRATION *NOT TO SCALE*	DESCRIPTION	OPER./COLOR	PART NO.
	**Head or Foot Bolt, Solid Brass** *Includes:* *1 – Bolt assembly* *2 – #6x1 1/4″ Phillips flathead wood screws*		00143068
	**6 9/16″ Sill Strike** Foot bolt receiver *1 – Sill strike* *2 – #4x1/2″ Phillips flathead screws*	BG	05700031 Specify prep. for combination
	**Stationary Panel Bracket** *Includes:* *1 – Stationary panel bracket* *4 – #7x3/4″ Phillips flathead wood screws*		11841000
	**Keeper, Storm Insert** Inswing French Door 5/98 – Present		NA
	**Drip Cap, Storm Insert** Inswing French Door 5/98 – Present V795 144″ pc	BG BK	15646068 15646069
	Leaf Spring, Screen Insert Inswing French Door 5/98 – Present		11868835
	**Finger Pull, Screen Insert** Inswing French Door 5/98 – Present V254	Clear	11860350