



Modern Outswing Door

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.


Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

Contents

Product History.....	2
Part Identification - Operator Panel	3
Part Identification - X	4
Part Identification - Stationary Meeting Stile	5
Part Identification - OX.....	6
Part Identification - Low Profile Sill - OX.....	7
Part Identification - Performance Sill - OX	8
Part Identification - XX.....	9
Part Identification - Low Profile Sill - XX	10
Part Identification - Performance Sill - XX.....	11
Installation Parts.....	12
Installation Parts - Fabricated	15
Installation Tools	16
Trimsets	17
Locking Hardware	19
Hinges.....	27
Miscellaneous Parts	29
Aluminum Parts	31
Aluminum Parts - Fabricated.....	35
Vinyl Parts.....	38
Weather Strip	39
Weather Strip - Fabricated	42
Screen Handing Diagram.....	43
SE2 Retractable Screen Parts.....	44


Produced	Unit Type	Features and Changes
2021	Modern Outswing Door	04/26/2021: Introduced Modern Outswing Door.
2023	Modern Outswing Door	10/30/2023: An ERS coating became available as a standard option for current Triple Pane offerings. See Product Bulletin 904 for more details.




1. Top Rail Cap Weather Strip, V3176
2. Shoot Bolt Guide
3. Shoot Bolt Rod
4. Locking Stile Weather Strip Carrier, V3079
5. Weather Strip, V147
6. Panel Cover Plate
7. Lockbox, Active
8. Trimset (select parts also available individually)
9. Panel Corner Cover
10. Hinge Escutcheon
11. Panel Alignment Bolt Receiver




1. Frame Gasket
2. Head Jamb Strike, Single
3. Frame Cladding, A3501(used at Header and Jambs)
4. Connecting Barb, V803, used with Frame Cladding (available in Modern Accessories)
5. Jamb Weather Strip, V3055
6. Jamb Strike Plate Kit
7. Hinge
8. Panel Alignment Bolt




1. Weather Strip, V147
2. Stationary Bracket Kit
3. Sill Bolt
4. Dust Block, Astragal Cap
5. Astragal Cap
6. Astragal Base, A3530
7. Astragal Cover, A3531
8. Meeting Stile Weather Strip, V3080
9. Panel Strike Plate Kit
10. Center Stationary Bracket Kit (used on OX/XO)



1. Frame Cladding, A3501 (used at Header and Jambs)
2. Connecting Barb, V803, used with Frame Cladding (available in Modern Accessories)
3. Weather Strip (frame/astagal), V3055
4. Hinge
5. Panel Alignment Bolt
6. Frame Gasket
7. Head Jamb Strike Plate, Double




1. Weather Strip (Low Profile Sill), V147
2. Low Profile Sill Cover, A3525
3. Weep
4. Weep Tube Outlet (optional)
5. Sill Support, A3520 (Installation only)
6. Sill Strike, Single (OX/XO)




1. Performance Sill Cover, A3524
2. Weather Strip, V3092
3. Connecting Barb, V803 (available in Accessories section)
4. Foam Plug (installation only)
5. Weep
6. Weep Tube Outlet (optional)
7. Sill Support, A3520 (Installation only)
8. Sill Strike, Single (OX/XO)



1. Frame Cladding, A3501 (used at Header and Jambs)
2. Connecting Barb, V803, used with Frame Cladding (available in Modern Accessories)
3. Weather Strip (frame/astagal), V3055
4. Hinge
5. Panel Alignment Bolt
6. Frame Gasket
7. Head Jamb Strike Plate, Double



1. Weather Strip (Low Profile Sill), V147
2. Low Profile Sill Cover, A3524
3. Weep
4. Weep Tube Outlet (optional)
5. Sill Support, A3520 (Installation only)
6. Sill Strike, Double (XX)




1. Performance Sill Cover, A3525
2. Weather Strip, V3092
3. Connecting Barb, V803 (available in Accessories section)
4. Foam Plug (installation only)
5. Weep
6. Weep Tube Outlet (optional)
7. Sill Support, A3520 (Installation only)
8. Sill Strike, Double (XX)

Head Jamb Key Kit

Usage dates:

4/26/2021 to present

Color	PN
Black	11862354




Lower Jamb Key

Usage dates:

4/26/2021 to present


Handing	Color	PN
RH	Black	10501918
LH	Black	10501917



Interior Flat Shim

Adhesive backed

Qty	PN
Pkg of 20	11102180




Saddle Sill Key

Usage dates:

4/26/2021 to present

Handing	Color	PN
RH	Black	10501754
LH		10501755




RH shown

Saddle Sill Jamb Gasket

Usage dates:

4/26/2021 to present

Color	PN
Black	10815728




Sill Support

A3520

Usage dates:

4/26/2021 to present

Length	PN
200" (5080)	18876855




Foam Plug (Performance Sill Cover)

Usage dates:

4/26/2021 to present

PN
10500664



Saddle Sill Install Screw Kit

Includes:

3 - #10 x 1 1/2", Flat Head, Phillips, Full Thread Screws

PN
11862367




Sill to Jamb Screw Kit

Includes:

6 - #8 x 1 3/4", Tek-2, pan head screws, full thread, stainless steel screws

PN
11862348




Strike Install Screw Kit

Includes:


4 - #8-15 x 3" Type A/TF, 2/3 thread

Stainless Steel PN	Black PN
11862346	11862347



Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



Sill Support, A3520

Usage Dates: 4/26/2012 to present

Installation Tools Kit

Includes:


- 1 - Short arm Allen wrench, M3
- 1 - Short arm Allen wrench, M6

PN
11862830

No Illustration Available

Construction Handle

PN
10830451




Active Trimset

NOTE: Keyed Cylinder must be ordered separately

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	10501760
Matte Bronze	10501761
Satin Nickel	10501762
Silver	10501763
Stone White	10501764




Passive Trimset

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	10501765
Matte Bronze	10501766
Satin Nickel	10501767
Silver	10501768
Stone White	10501769



Exterior Gasket, Trimset

Usage dates:

4/26/2021 to present

Color	PN
Black	10501776



Keyed Cylinder, Active Trimset


Includes:

2 keys

Usage dates:

4/26/2021 to present

PN
10830289



Thumb Turn Fastener Kit


Includes:

- 2 - Self tapping screws
- 1 - M5 machine screw
- 1 - Base
- 1 - Detent washer

Usage dates:

4/26/2021 to present

PN
10501777



Spindle Kit, Trimset


Includes:

- 4 - Self tapping screws
- 2 - Set screws
- 1 - Split spindle
- 1 - Hex wrench
- 1 - Spring Cartridge
- 2 - Bushings

Usage dates:

4/26/2021 to present

PN
10501778




Gear Box, 35mm, Active, .625

Usage dates:

4/26/2021 to present

PN
10501655




Latch Bolt

Usage dates:

4/26/2021 to present

PN
10501929



Gear Box, 35mm, Passive

Usage dates:

4/26/2021 to present

PN
10501913



Cover Plate, Active Multipoint Lock

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11841984
Stainless Steel	11841982



Center Stationary Bracket Kit

Includes:

2 - #8-15 x 1/2" Type AB, Phillips, flat head screws

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862338
Stainless Steel	11862339



Shoot Bolt Rod

Usage dates:

4/26/2021 to present

Lower Shoot Bolt Rod	
Length	PN
33.55" (852.17)	11843005

Upper Shoot Bolt Rod	
Length	PN
52.948" (1344.88)	11843006
76.948" (1954.48)	11843007
101.793" (2585.54)	11843008



Shoot Bolt Guide

Includes:

1 - #10-16 x 1 1/2", P2, Phillips full thread, Tek 3 screws

Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	A	11862371
	B	11862372



Head Jamb Strike Kit, X

Includes:

- 1 - #8-15 X 1/2" Type AB, Phillips, flat head, UC screws
- 4 - #8-15 X 3" Type A/TF, 2/3 thread screws
- 1 - Frame gasket (10500426)

Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	LH	11862351
	RH	11862352
Stainless Steel	LH	11862349
	RH	11862350



RH shown

Head Jamb Strike Kit, Double

Includes:

- 2 - #8-15 x 1/2" AB, Phillips flat head, UC screw
- 2 - #8-15 x 3" Type AT/F, 2/3 thread screws

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862362
Stainless Steel	11862361



Sill Strike Kit, Single, X, OX/XO

Includes:

2 - #8-15 x 1/2" AB, Phillips flat head, UC screw

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862364
Stainless Steel	11862363



Sill Strike Kit, Double, XX


Includes:

3 - #8-15 x 1/2" AB, Phillips flat head, UC screw

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862366
Stainless Steel	11862365



Panel Strike Plate Kit

Includes:

5 - #8-15 X 1/2 Type AB, Phillips, flat head, UC screw

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862356
Stainless Steel	11862355



Jamb Strike Plate Kit

Includes:

1 - #8-15 X 1/2" Type AB, Phillips, flat head, UC screw

2 - #8-15 X 3" Type A/TF, 2/3 thread screw

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862370
Stainless Steel	11862369



Sill Bolt, Stationary


Includes:

2 - #10-16 x 1 1/2", P2, Phillips full thread, Tek 3 screws


Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	Center	11862376
	LH	11862377
	RH	11862378



Center



LH shown

Sill Bolt Kit, Saddle Sill


Includes:

2 - #10-16 x 1 1/2" P2, Phillips head, full thread Tek 3 screws


Usage dates:

4/26/2021 to present


Color	Handing	PN
Black	Center	11862380
	LH	11862381
	RH	11862382



LH



Center



RH

Panel Alignment Bolt Kit

Includes:

2 - #8-15 x 3" Type A/TF, 2/3 thread screws

Usage dates:

4/26/2021 to present

Color	PN
Black	11862325




Panel Alignment Bolt Receiver

Usage dates:

4/26/2021 to present

Color	PN
Black	11843019




Sill Strike, Saddle Sill

Usage dates:

4/26/2021 to present

Color	PN
Bronze	11869840



Hinge

Includes color matched screws:

- 9 - #10-24 x 1 1/2" Phillips flat head screws
- 7 - #10-24 x 1/2" Phillips flat head screws
- 3 - #10-12 x 3" 2/3 thread screw

Usage dates:

4/26/2021 to present

Color	LH PN	RH PN
Matte Black	11862789	11862790
Matte Bronze	11862791	11862792
Satin Nickel	11862793	11862794
Silver	11862795	11862796
Stone White	11862797	11862798



LH shown

Hinge Screw Kit, Jamb

Includes:

- 16 - #10-24 x 1/2" Phillips flat head screws

NOTE: Screws are used to attach hinge to the jamb

Usage dates:

4/26/2021 to present

Color	Used with hinge color(s)	PN
Black	Matte Black, Matte Bronze	11862776
Stainless Steel	Satin Nickel, Silver	11862777
Stone White	Stone White	11862778



Hinge Escutcheon

Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11841940
Dark Bronze	11841941
Satin Nickel	11841942
Silver	11841943
Stone White	11841944



Hinge Installation Screw Kit

Includes:

8 - #10-12 x 3", 2/3 thread Phillips flat head screws

1 - Package of 18 #10-24 x 1 1/2" Phillips flat head screws

Usage dates:

4/26/2021 to present

Color	Used with hinge color(s)	PN
Black	Matte Black, Matte Bronze	11862335
Stone White	Stone White	11862332
Stainless Steel	Satin Nickel, Silver	11862333




Astragal Cap

Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	A	10501714
	B	10501713



Dust Block, Astragal Cap

Usage dates:

4/26/2021 to present

Color	PN
Black	10500409



Dust Block

Used: Jamb to Performance, Low Profile or Saddle Sill

Usage dates:

4/26/2021 to present

PN
10500464



Panel Corner Cover


Includes:

1 - #8 x 1", TEK 3, full thread, Phillips pan head, Stainless Steel

Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	A	11862373
	B	11862374



Weep

Usage dates:

4/26/2021 to present

Color	PN
Black	11843020




Weep Tube Outlet

Usage dates:

4/26/2021 to present

Color	PN	Pkg/2 PN
Black	11843021	11862326



Frame Gasket

Usage dates:

4/26/2021 to present

PN
10500426



Stationary Bracket Kit

Includes:

- 2 - #8 x 1 3/4" full thread, pan head screw
- 1 - #10-12 x 3", Torx T20, Phillips head, 2/3 thread screw

Usage dates:

4/26/2021 to present

PN
11862353



15/16" Stile Clad

A3532

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18820210
	Ebony	18820200
	Gunmetal	18820220
	Stone White	18820215
	Clear Anodized	18820205



1 1/4" Stile Clad

A3686

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	11876760
	Ebony	11876750
	Gunmetal	11876770
	Stone White	11876765
	Clear Anodized	11876755



Astragal Base

A3530

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18877005



Astragal Cover

A3531

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18876660
	Ebony	18876650
	Gunmetal	18876670
	Stone White	18876665
	Clear Anodized	18876655



Low Profile Sill Cover

A3525

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18876975
	Bronze	18876985



Performance Sill Cover

A3524

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18876950
	Bronze	18876960




Frame Cladding

A3501

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18876810
	Ebony	18876800
	Gunmetal	18876820
	Stone White	18876815
	Clear Anodized	18876805



Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



15/16" Locking Stile Clad, A3533
Usage Dates: 4/26/2021 to present



15/16" Stile Clad, A3532
Usage Dates: 4/26/2021 to present



1 1/4" Locking Stile Clad, A3685
Usage Dates: 4/26/2021 to present



1 1/4" Stile Clad, A3686
Usage Dates: 4/26/2021 to present

Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



Astragal Base, A3530

Usage Dates: 4/26/2021 to present




Astragal Cover, A3531

Usage Dates: 4/26/2021 to present

Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color




Low Profile Sill Cover, A3525

Usage Dates: 4/26/2021 to present



Performance Sill Cover, A3524

Usage Dates: 4/26/2021 to present



Frame Cladding, A3501

Usage Dates: 4/26/2021 to present

Interior Glazing Seal

V2949

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219235



Hinge Stile Cover

V3099

Usage dates:

4/26/2021 to present

Length	Color	PN
18 61/64" (481)	Black	16219618
150" (3810)		16219699



Weather Strip


V3055

Used on Frame and Astragal

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219806



Weather Strip

V3092

Used on High Performance Sill

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219810



Weather Strip


V147

Used on Exterior Panel

Usage dates:

4/26/2021 to present

Length	Color	PN
150" (3810)	Black	17002299



Weather Strip


V3080

Used on Meeting Stile

Usage dates:

4/26/2021 to present

Length	Color	PN
150" (3810)	Black	16219835



Pile, Saddle Sill

Usage dates:


4/26/2021 to present

Length	Color	PN
Specify length	Black	10815729



Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color




Top Rail Cap Weather Strip, V3176
Usage Dates: 4/26/2021 to present




Locking Stile Weather Strip Carrier, V3079
Usage Dates: 4/26/2021 to present



Saddle Sill Sweep Assembly
Usage Dates: 4/26/2021 to present




**Saddle Sill Weather Strip Carrier,
Stationary, V3142**
Usage Dates: 4/26/2021 to present



Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



Head Jamb

Colors: Clear Anodized, Gunmetal, Stone White, Bronze and Ebony

Usage Dates: 4/26/2021 to present




Head Cover Assembly

Colors: Clear Anodized, Gunmetal, Stone White, Bronze and Ebony

Usage Dates: 4/26/2021 to present


Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



Sill

Colors: Bronze and Ebony
Usage Dates: 4/26/2021 to present



Sill Cover Assembly

Colors: Bronze and Ebony
Usage Dates: 4/26/2021 to present




Sill Cover, Short End P1 or P2

Colors: Bronze and Ebony
Usage Dates: 4/26/2021 to present

Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



Sill Riser

Colors: Bronze and Ebony

Usage Dates: 4/26/2021 to present




Sill Riser End Cap

Colors: Black

Usage Dates: 4/26/2021 to present

Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



Jamb Cover, Screen Roll side

Colors: Clear Anodized, Gunmetal, Stone
White, Bronze and Ebony

Usage Dates: 4/26/2021 to present




Jamb Cover with Magnet

Colors: Clear Anodized, Gunmetal, Stone
White, Bronze and Ebony

Usage Dates: 4/26/2021 to present

Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)




Cone Assembly P1 or P2

Usage Dates: 4/26/2021 to present

No illustration available

Cable

Colors: Black, Red, Yellow, Green
Usage Dates: 4/26/2021 to present



**Screen Roll Assembly,
Standard Weave P1 or P2**

Usage Dates: 4/26/2021 to present