

Ultimate Outswing Door 2.25 (3" Stiles)

Contents

Replacement Parts

Specifications and technical data are subject to change without notice.


Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.


Illustrations are not to scale.


Product History	2
Part Identification - X L and XX L	3
Part Identification - Jamb	4
Part Identification - Stationary	5
Part Identification - Transom	
Panel Options	
Installation Parts	
Minimalist Handle	
Minimalist Handle - Keyed Cylinder	
Narrow Contemporary Handle	
Narrow Contemporary Handle - Keyed Cylinder	24
Hinge Handing Location	
Hinges	
Miscellaneous Parts	27
Miscellaneous Parts - Accessibility Sill	
Lock Status Sensor Parts	
Aluminum Parts - Fabricated	
Vinyl Parts - Fabricated	
Wood Parts - Fabricated	
Weather Strip	
Weather Strip - Accessibility Sill	
Sill Replacement - Configured Parts in OMS	
Service Only Parts	

Produced	Unit Type	Features and Changes
2021	Ultimate Outswing Door 2.25 (3" Stiles)	06/28/2021: Introduced the Ultimate Outswing Door 2.25 (3" Stile).
2022	Ultimate Outswing Door 2.25 (3" Stiles)	02/28/2022: The Ultimate Outswing Door 2.25 (3" Stile) is now available with Impact Zone 3 (IZ3) certification. See Product Bulletin 807 for more details.
2023	Ultimate Outswing Door 2.25 (3" Stiles)	10/30/2023: An ERS coating became available as a standard option for current Triple Pane offerings. See Product Bulletin 904 for more details
2024	Ultimate Outswing Door 2.25 (3" Stiles)	02/26/2024: Performance Sill color changes from Bronze to Ebony, see Product Bulletin 909 for more information. Added panel op- tions, see Product Bulletin 910 for additional information. Narrow Contemporary Handle options were added for the Ultimate Swinging Door 2.25. See Product Bulletin 911 for more information.
		04/29/24: Replacement Sills were made available in Configured Parts in OMS.
		10/28/2024: Accessibility Sill became available. See Product Bulletin 938 for more information. The Bronze Performance sill moved to Discontinued - No Longer Available status (DISC-NA). See Product Bulletin 909 for more information.
		11/25/2024: Updated Adjustable Hinge Packages to G2 version, utilizing the current adjustable hinge with G2 fastener usage.




Head Jamb and Performance Sill Detail






- 1. Head Jamb Nailing Fin, V119
- 2. Exterior Vinyl Frame Cover, V3224
- 3. Panel Cover Weather Strip, V3241
- 4. Frame/Parting Stop Weather Strip, V3117
- 5. Jamb/Head Jamb Parting Stop, W13541
- 6. Sill Weather Strip, V2026
- 7. Interior Sill Filler, V3120




X L Jamb




XX L Jamb

- 8. Sill Liner, A3727
- 9. Astragal Base, W13639
- 10. Astragal Cap (Ogee), W13640
- 11. Astragal Base Weather Strip, V3208
- 12. Stile Weather Strip, V3243
- 13. Jamb Nailing Fin, V104


- 14. Adjustable Hinge
- 15. Inactive Weather Strip, V3242
- 16. Pile Weather Strip, Accessibility Sill, V03381
- 17. Weather Strip, Accessibility Sill, V03405
- 18. Kerf Filler, Accessibility Sill, V03427
- 19. Sill Liner, Accessibility Sill, A03955




2 Panel Jamb Detail - OX L




2 Panel Jamb Detail - XX L




3 Panel Operating Jamb OXO L



- 1. Active Handle, Interior
- 2. Active Handle, Exterior
- 3. Inactive Handle, Interior
- 4. Inactive Handle, Exterior
- 5. Active Panel
- 6. Inactive Panel
- 7. Stationary Panel






- 1. Head Jamb Nailing Fin, V119
- 2. Panel Cover Weather Strip, V3241
- 3. Parting Stop Weather Strip, V3117
- 4. Jamb/Head Jamb Parting Stop, W13541
- 5. Stationary Block, Exterior Sill, A3638
- 6. Sill Weather Strip, V2026
- 7. Interior Sill Filler, V3120


- 8. Sill Liner, A3727
- 9. Astragal Base Weather Strip, V3208
- 10. Astragal Cap (Ogee), W13640
- 11. Astragal Base, W13639
- 12. Inactive Weather Strip, V3242
- 13. Stile Weather Strip, V3243

- 14. Exterior Vinyl Frame Cover, V3224
- 15. Jamb Nailing Fin, V104
- 16. Pile Weather Strip, Accessibility Sill, V03381
- 17. Weather Strip, Accessibility Sill, V03405
- 18. Kerf Filler, Accessibility Sill, V03427
- 19. Sill Liner, Accessibility Sill, A03955



- - Exterior Cover, Panel Retainer, V3123
 Top Rail Weather Strip, Transom, V3133
 - 3. Frame/Parting Stop Weather Strip, V3117
 - 4. Jamb/Head Jamb Parting Stop, A13541
 - 5. Sill Cover, Transom, W13567
 - 6. Stile Weather Strip, V3243

- 7. Inactive Weather Strip, V3242
- 8. Astragal Base, W13639
- 9. Astragal Cap (Ogee), W13640
- 10. Astragal Base Weather Strip, V3208
- 11. Head Jamb Nailing Fin, V119
- 12. Jamb Nailing Fin, V104




Standard Square Interior Square Exterior




4 9/16" Upper Frame Key

Color	PN
Black	11869925




Construction Handle



Minimalist Handle, Exterior, Active, Keyed

- 1 Lever handle (1)
- 1 Set screw (2)
- 1 Lever bushing (3)
- 3 Wood screws (4)
- 1 Split spindle, 2 1/4" doors (5)
- 1 Split spindle, 1 3/4" doors (5)
- 1 Handle rosette base (6)
- 1 Gasket, rosette (7)
- 1 Cylinder rosette base (8)
- 1 Keyed cylinder (9)
- 1 Exterior Escutcheon with cylinder housing (10)
- 1 Installation instruction
- 1 Hex wrench


LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN			
Color LH PN RH PN			
Matte Black	11870040	11870032	
Satin Nickel PVD 11870042 11870034			
Oil Rubbed Bronze PVD	11870044	11870036	
Dark Bronze	11870046	11870038	



Minimalist Handle, Interior, Active, Keyed

- 1 Lever handle (1)
- 1 Set screw (2)
- 1 Lever bushing (3)
- 1 Lever rosette (4)
- 3 Wood screws (5)
- 1 Lever rosette base (6)
- 1 Spring cartridge (7)
- 1 Thumb turn rosette base with washer (8)
- 1 M5 x 70 machine screw (9)
- 1 M5 x 60 machine screw (9)
- 1 Thumb turn rosette assembly (10)

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN			
Color LH PN RH PN			
Matte Black	11870008	11870001	
Satin Nickel PVD 11870010 11870002			
Oil Rubbed Bronze PVD	11870012	11870004	
Dark Bronze	11870014	11870006	




Minimalist Handle, G2, Exterior, Active, Non-Keyed

Includes:

- 1 Lever handle (1)
- 1 Set screw (2)
- 1 Lever bushing (3)
- 3 Wood screws (4)
- 1 Split spindle, 2 1/4" doors (5)
- 1 Split spindle, 1 3/4" doors (5)
- 1 Lever rosette base (6)
- 2 Gasket, rosette base (7)
- 1 Cylinder rosette base (8)
- 1 Backplate, exterior, non-keyed (9)
- 1 Installation instruction

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN			
Color LH PN RH PN			
Matte Black	11870024	11870017	
Satin Nickel PVD	11870026	11870018	
Oil Rubbed Bronze PVD	11870028	11870020	
Dark Bronze	11870030	11870022	




RH shown

Minimalist Handle, Interior, Active, Non-Keyed

- 1 Lever handle (1)
- 1 Set screw (2)
- 1 Lever bushing (3)
- 1 Lever rosette (4)
- 3 Wood screws (5)
- 1 Lever rosette base (6)
- 1 Spring cartridge (7)
- 1 Thumb turn rosette base with washer (8)
- 1 M5 x 70 machine screw (9)
- 1 M5 x 60 machine screw (9)
- 1 Thumb turn rosette assembly (10)


LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN			
Color LH PN RH PN			
Matte Black	11870056	11870048	
Satin Nickel PVD	11870058	11870050	
Oil Rubbed Bronze PVD	11870060	11870052	
Dark Bronze	11870062	11870054	



Minimalist Handle, Exterior, Inactive/Dummy

- 1 Lever handle (1)
- 1 Set screw (2)
- 1 Lever bushing (3)
- 4 Wood screws (4)
- 2 Lever rosette base (5)
- 2 Lever rosette gasket (6)
- 1 Split spindle, 2 1/4" Doors (7)
- 1 Split spindle, 1 3/4" Doors (7)
- 1 Backplate, escutcheon, non-keyed (8)
- 1 Hex wrench
- 1 Installation instruction


LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN			
Color LH PN RH PN			
Matte Black	11870072	11870064	
Satin Nickel PVD	11870074	11870066	
Oil Rubbed Bronze PVD	11870076	11870069	
Dark Bronze	11870078	11870071	



Minimalist Handle, Interior, Inactive/Dummy


- 1 Lever handle (1)
- 1 Set screw (2)
- 1 Lever bushing (3)
- 1 Lever rosette (4)
- 2 Wood screws (5)
- 1 Lever rosette base (6)
- 1 Spring cartridge (7)
- 1 Fixing plate (8)
- 1 Installation instruction
- 1 Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN			
Color LH PN RH PN			
Matte Black	11870088	11870081	
Satin Nickel PVD 11870090 11870082			
Oil Rubbed Bronze PVD	11870092	11870084	
Dark Bronze	11870094	11870086	




Lever Handle

Color	LH PN	RH PN
Matte Black	11869951	11869950
Satin Nickel PVD	11869953	11869952
Oil Rubbed Bronze PVD	11869955	11869954
Dark Bronze	11869957	11869956




Fixing Plate, Dummy






Spring Cartridge






Backplate, Exterior, Keyed

Color	PN
Matte Black	11869960
Satin Nickel PVD	11869961
Oil Rubbed Bronze PVD	11869962
Dark Bronze	11869963




Backplate, Exterior, Non-Keyed

Color	PN
Matte Black	11869964
Satin Nickel PVD	11869965
Oil Rubbed Bronze PVD	11869966
Dark Bronze	11869967




Thumb Turn Rosette Assembly, Keyed

Color	PN
Matte Black	11869972
Satin Nickel PVD	11869973
Oil Rubbed Bronze PVD	11869974
Dark Bronze	11869975




Thumb Turn Rosette Assembly, **Non-Keyed**

Color	PN
Matte Black	11869985
Satin Nickel PVD	11869986
Oil Rubbed Bronze PVD	11869988
Dark Bronze	11869987




Handle Rosette

Color	PN
Matte Black	11869968
Satin Nickel PVD	11869969
Oil Rubbed Bronze PVD	11869970
Dark Bronze	11869971



Thumb Turn Rosette Base and Washer






Handle Rosette Base




Gasket, Rosette Base



Cylinder Rosette Base

ΡN




Field Service Parts Kit, Exterior

Includes:

- 4 3.9x19MM screw
- 1 Set screw
- 1 8 x 130 mm spindle
- 1 8 x 140 mm spindle
- 1 Lever bushing
- 1 Hex wrench






Field Service Parts Kit, Interior

Includes:

- 1 Set screw
- 1 M5 x 60 machine screw
- 1 M5 x 70 machine screw
- 3 3.9 x 19 mm screw
- 1 Spring cartridge
- 1 Lever bushing
- 1 Hex wrench

PN 11844036



Keyed Cylinder

(Schalge "C" keyway) For service replacement only.


Includes:

2 - keys

NOTE: For Keyed Alike orders, use program C87P2

Satin Nickel PVD and Matte Black use Chrome Face Oil Rubbed Bronze PVD and Dark Bronze use Brass Face


Minimalist Handle		
Color	PN	
Brass Face	10148228	
Chrome Face	10833005	



Narrow Contemporary Handle, Exterior, Active, Keyed

- 1 Lever
- 1 Lever bushing (1)
- 1 Escutcheon with keyed cylinder
- 2 Keys
- 1 Escutcheon gasket (2)
- 1 Set screw
- 1 Hex wrench

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN				
Color	LH PN RH PI			
Matte Black	11871510	11871511		
Satin Nickel PVD	11871512	11871513		
Oil Rubbed Bronze PVD	11871514	11871515		
Dark Bronze	11871516	11871517		




LH shown

Narrow Contemporary Handle, Exterior, Inactive/Dummy

Includes:

- 1 Lever
- 1 Lever bushing (1)
- 1 Escutcheon
- 1 Escutcheon gasket (2)
- 1 Set screw
- 1 Hex wrench

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN				
Color	LH PN RI			
Matte Black	11871530	11871531		
Satin Nickel PVD	11871532	11871533		
Oil Rubbed Bronze PVD	11871534	11871535		
Dark Bronze	11871536	11871537		




LH shown

Narrow Contemporary Handle, Interior, Active

Includes:

- 1 Lever
- 1 Lever bushing (1)
- 1 Escutcheon with thumb turn
- 2 Machine screw (2)
- 1 Set screw
- 1 Split spindle (3)
- 1 Hex wrench
- 1 Installation instruction

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN				
Color LH PN RH PI				
Matte Black	11871520	11871521		
Satin Nickel PVD	11871522	11871523		
Oil Rubbed Bronze PVD	11871524	11871525		
Dark Bronze	11871526	11871527		




RH shown

Narrow Contemporary Handle, Interior, Inactive/Dummy

Includes:

- 1 Lever
- 1 Lever bushing (1)
- 1 Escutcheon
- 2 Machine screws (2)
- 1 Locking plate (3)
- 1 Split spindle (4)
- 1 Set screw
- 1 Hex wrench
- 1 Installation instruction

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN			
Color	LH PN	RH PN	
Matte Black	11871540	11871541	
Satin Nickel PVD	11871542	11871543	
Oil Rubbed Bronze PVD	11871544	11871545	
Dark Bronze	11871546	11871547	




RH shown

Spindle Kit

Includes:

- 1 2pc spindle
- 2 Set screws




Escutcheon Mounting Screws

PN
11800225
11800226
11800228
11800227



Escutcheon Gasket




Lever Bushing





Locking Plate





Keyed Cylinder

(Schalge "C" keyway) For service replacement only.


Includes:

2 - Keys


NOTE: For Keyed Alike orders, use program C87P2

Satin Nickel PVD and Matte Black use Chrome Face Oil Rubbed Bronze PVD and Dark Bronze use Brass Face

Narrow Contemporary Handle		
Color	PN	
Brass Face	10148223	
Chrome Face	10833000	







Adjustable Hinge Package, G2


NOTE: Packages may include extra screws that are not used in certain applications.


Includes:

- 1 Adjustable hinge
- 4 #8 x 1 1/2" Phillips flat head wood screws (panel)
- 5 #10-16 x 7/8" Phillips full thread, flat head screw (jamb)
- 5 #10 x 1" Type A-17 full thread screw (jamb, stationary stile)
- 1 #10-13 x 2 1/2" Type A/TF 2/3 thread screw package (jamb). Use 1 screw per hinge.

NOTE: Individual screws are available if needed.

Adjustable Hinge Package, G2 - Color and Part Number			Matching
Hinge Color	LH PN	RH PN	Screw Color
Satin Taupe (TP)	02101260	02101261	TP
Goldtone (GT)	02101246	02101247	GT
Silver Frost (SF)	02101262	02101263	Stainless Steel
Dark Bronze (DKBZ)	02101244	02101245	DKBZ
Antique Brass (AB)	02101240	02101241	DKBZ
White (WH)	02101266	02101267	WH
Satin Chrome (SC)	02101256	02101257	Stainless Steel
Oil Rubbed Bronze (ORBZ)	02101250	02101251	DKBZ
Oil Rubbed Bronze PVD (ORBZ PVD)	02101252	02101253	DKBZ
Brass PVD (BS PVD)	02101242	02101243	BS PVD
Satin Nickel (SN) PVD	02101258	02101259	Stainless Steel
Polished Chrome (PC)	02101254	02101255	Stainless Steel
Matte Black (MBK)	02101248	02101249	MBK





Individual Screws			
Screw Description	Color	PN	
	TP	11865177	
	GT	11865172	
	WH	11865173	
#8 x 1 1/2" Phillips flat head wood screw (panel). 4 per hinge.	DKBZ	02058013	
serew (parier). + per ringe.	BS PVD	11865176	
	Stainless Steel	11865175	
	MBK	11865178	
	TP	11800286	
	GT	11800282	
#10-16 x 7/8" Phillips flat head wood	WH	11800283	
screw (jamb or stationary stile).	DKBZ	11800281	
5 per hinge.	BS PVD	11800285	
	Stainless Steel	11800284	
	MBK	11800287	
	TP	11800985	
	GT	11800981	
	WH	11800982	
#10-16 x 1" Type A-17 full thread screw	DKBZ	11800980	
Sciew	BS PVD	11800984	
	Stainless Steel	11800987	
	MBK	11800986	
#10-13 x 2 1/2" Type A/TF 2/3 thread	TP	11800653	
screw package* (jamb). Use 1 screw per hinge.	GT	11800632	
NOTE: To avoid damage, do not use	WH	11800637	
on panels of Ultimate 3" Stile Doors.	DKBZ	11800644	
*NOTE: Part numbers for these	BS PVD	10148185	
screws are sold in packages of 4	Stainless Steel	11800639	
screws and includes 1 - 5/32" Allen wrench.	МВК	11800696	


Cover Plate, Active Multi-Point Lock, 2 1/4"

LH Outswing uses LH PN RH Outswing uses RH PN		
Color	LH PN	RH PN
Antique Brass	11844020	11844021
Bright Brass PVD	11844022	11844023
Stainless Steel	11844024	11844025
Oil Rubbed Bronze PVD	11844026	11844027


Suggested F	asteners	Suggested Fa	steners
4 - #8-18 x 5/8" Type A/AB, full thread screw		2 - #8-18 x 1 1/2" Type A/AB, full thread screw	
Color	PN	Color	PN
Dark Bronze	11800579	Dark Bronze	02058013
Brass	11800580	Brass	11865176
Stainless Steel	11806154	Stainless Steel	11865175

NOTE: Dark Bronze screws are used on Antique Brass and Oil Rubbed Bronze PVD.


Gear Box (Multi-Point Lock), 35mm Active



Latch Bolt




Gear Box (Multi-Point Lock), 35mm Passive



Panel Strike, Narrow, Multi-Point Lock

Used on Outswing

Color	PN	Suggested F	asteners
Antique Brass	11844009	5 - #8-18 x 5/8" Type A/A	
Bright Brass PVD	11844010	full thread	screw
Stainless Steel	11844011	Color	PN
Oil Rubbed Bronze PVD	11844012	Dark Bronze	11800579
		Brass	11800580



full thread screw	
Color	PN
Dark Bronze	11800579
Brass	11800580
Stainless Steel	11806154


NOTE: Dark Bronze screws are used on Antique Brass and Oil Rubbed Bronze PVD.

Frame Strike, Narrow, Multi-Point Lock

Used on 2 1/4" Panels

Color	PN
Antique Brass	11844000
Oil Rubbed Bronze PVD	11844003
Bright Brass PVD	11844001
Stainless Steel	11844002

Suggested Fasteners		
3 - #10-16 x 7/8" full thread undercut screw		
Color PN		
Dark Bronze	11800281	
Brass	11800285	
Stainless Steel	11800284	



Sill Strike and Gasket Assembly


Used on 2 1/4" Panels

Includes:

- 1 Strike
- 1 Gasket

Color	PN
Ebony	11869934

Suggested Fasteners		
3 - #8 x 1/2" TORX, pan head full thread screw		
Color PN		
Ebony	11800224	





Sill Strike and Gasket Assembly, IZ3

Used on IZ3 Panels

- 1 Strike
- 1 Gasket

Color	PN	
Ebony	11869936	
Suggested Fasteners		
Suggest	ed Fasteners	
	ed Fasteners /2" TORX, par	






Aiscellaneous Parts

Used with 2 1/4" Panels PN Suggested Fasteners PN 11869682 2 - #8-32 x 3/8" full aparage

2 2 - #8-32 x 3/8" full thread machine screw 02058014

Shoot Bolt Sub Guide





Shoot Bolt Sub Assembly

NOTE: If a special rough opening height is needed for the Top Locking Rod, please order using the following specifications:


- 1. State "Top Locking Rod Assembly".
- 2. Original order number/line number (if available)
- 3. Configuration
- 4. Rough opening

Multi Point Top Rod		
CN	Length	PN
6-6R	36 35/64"	05700210
6-8	36 3/64"	05700211
7-0	43 3/64"	05700212
8-0	55 3/64"	05700213
9-0	67 3/64"	05700214
10-0	79 3/64"	05700215
Multi Point Bottom Rod		
-	16 3/4"	11101742



Shoot Bolt Retainer, Head Jamb

Color	PN	Suggested Fa	steners
Black	10501922	1 - #8-18 x 5/8" Type A/AB, full thread screw	
		Color	PN
		Stainless Steel	11806154



Stile End Bracket


Length	PN
3"	10502073

Suggested Fasteners2 - #8-18 x 1 1/4" Type AB,
Phillips flat head screwColorPNStainless Steel11808118

Stationary Bracket Reinforcement

Length	PN
3"	10502070

Suggested Fasteners	
2 - #8-18 x 1 1/4" Type AB, Phillips flat head screw	
Color	PN
Stainless Steel	11808118




iscellaneous Parts

Header Bracket, Stationary

Used on 2 1/4" panels



Suggested Fasteners	
3 - #10-16 x 7/8" full thread undercut screw	
Color	PN
Stainless Steel	11800284




Sill Bracket, Stationary

Used on 2 1/4" panels

PN 11841022

Suggested Fasteners	
4 - #8 x 1/2" TORX, pan head full thread screw	
Color	PN
Stainless Steel	11800147



Miscellaneous Parts

2024-02-26

Panel to Sill Bracket



Stationary Bolt, Stile

Suggested Fasteners 1 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw

ΡN

10899024


ΡN 11800918

Color

Black

Color

Matte Black




LH shown

Sill Drain Assembly

Color	PN
Ebony	10840264

Suggested Fasteners	
2 - #8-18 x 1/2" Torx, full thread, pan head screw	
Color PN	
Ebony	11800224




Stile End Filler

PN
16220002
16220003

Shoot Bolt Sub Assembly, Accessibility Sill


Description	Length	PN
Flush Bolt	8 25/32" (223)	10501948
Bottom Multi-Point	33 13/32" (849)	10501995



Shoot Bolt Guide, OXXO, Accessibility Sill

Color	LH PN	RH PN
Black	10501998	10501997
Suggested Fasteners		
2 #8 18 \times 1 1/1" Tupo AB		


2 - #8-18 x 1 1/4" , Type AB, Phillips, flat head screw	
Color	PN



RH shown

Stile End Plug, 3", Accessibility Sill

LH PN	RH PN
11869944	11869945



RH shown

Sill Strike and Gasket Assembly, Accessibility Sill


Includes:

1 - Strike


1 - Gasket

Color	PN
Black	11869697

Suggested Fasteners			
2 - #8 x 1/2" TORX, pan head full thread screw			
Color	PN		
Ebony	11800224		




Dust Block, OXXO, Accessibility Sill



Sill Gasket, Accessibility Sill

Sill Key Fuzzy, Accessibility Sill






PN 10501143




Cover, Transmitter



#8-18 x 1" Type AB, Full Thread


Used for Transmitter Cover Need quantity of 2 for each part





Stationary Block, Exterior Sill


Length	Panel Width	PN
5" (127)	Under 18 1/2"	18903809
9" (230)	18 1/2" and larger	18903808




Aluminum Parts

Ordering specifications (use all that apply):

- 1. Original order number/line number (if available)
- 2. Call number or rough opening
- 3. Profile
- 4. Length
- 5. Handing
- 6. Color/finish



A3727 Sill Liner




A03955 Sill Liner, Accessibility Sill


Vinyl Parts

Ordering specifications (use all that apply):


- 1. Original order number/line number (if available)
- 2. Profile
- 3. Length
- 4. Handing
- 5. Color




V3224 Exterior Vinyl Frame Cover



V3123 Exterior Cover, Panel Retainer



V3120 Interior Sill Filler





V03427 Kerf Filler, Accessibility Sill

Wood Parts


Ordering specifications (use all that apply):

- 1. Original order number/line number (if available)
- 2. Profile
- 3. Length
- 4. Handing
- 5. Species/Finish





Sill Cover, 4 9/16", Outswing




27/32 in [21 mm]

W13567 Sill Cover, Transom

Weather Strip


Ordering specifications (use all that apply):


- 1. Original order number/line number (if available)
- 2. Profile
- 3. Length
- 4. Handing
- 5. Color



Bottom Rail Weather Strip, Exterior Panel, Accessibility Sill

V03405







Bottom Rail Pile Weather Strip Accessibility Sill


V03381

Length	PN	
61 5/16" (1558)	16224750	







Panel Cover Weather Strip, V3125 No longer available, replace with V3241.



Stile Weather Strip, V3161 No longer available, replace with V3243. Refer to Configured Parts in OMS for sill replacement.



Performance Sill - 4 9/16" F2055



Accessibility Sill - 4 9/16" F2057

Replacement Panel Bracket Kits, Outswing

Description	Description	PN
5 Piece Kit	5 - Field service brackets, Outswing 10 - #8-18x1 1/2" Type A/AB, full thread screw 5 - #10-12 x 3", 2/3 thread screw 2 - Stationary panel alignment part 2 - #8-18x1" Type AB, full thread screw 1 - UOFD UIFD Stationary Panel Service Instruction	11102263
7 Piece Kit	7 - Field service brackets, Outswing 14 - #8-18x1 1/2" Type A/AB, full thread screw 7 - #10-12 x 3", 2/3 thread screw 2 - Stationary panel alignment part 2 - #8-18x1" Type AB, full thread screw 1 - UOFD UIFD Stationary Panel Service Instruction	11102264

